



ASIAN GRANITO INDIA LTD.

Regd. & Corp. Office

202, Dev Arc, Opp. Iskcon Temple, S.G. Highway,
Ahmedabad - 380 015, Gujarat, INDIA.

Phone: +91 79 66125500/698 | Fax : +91 79 66125600/66058672
CIN: L17110GJ1995PLC027025

E-mail : infomarble@aglasiangranito.com | Web : www.aglasiangranito.com

 1800 123 3455
Toll-free: Mon-Sat 10am-6pm

Follow Us:



OUR BEST PRODUCTS

TILES | ENGINEERED MARBLE | QUARTZ STONE | BATHWARE



Asian Granito India Ltd.

NOV- 20



INNOVATION DRIVEN
FUTURE

3100x1400mm | 3025x1225mm

COLLECTION - 2020-21





DREAMING OF A BOLD VISION

EXPANDING FOR
A BEAUTIFUL LIFE.

GLOBAL PRESENCE
IN OVER 100 COUNTRIES

YOUNGEST & FASTEST
GROWING TILE COMPANY
OF INDIA

LARGEST SINGLE
LOCATION PLANT IN INDIA

ONE OF THE TOP 3 LISTED CERAMIC TILES
COMPANIES IN INDIA

Dreaming of a bold vision, striking a non-violent revolution, creating ground breaking technology, thinking ahead of times - people who made a huge difference in the world have embraced change. At AGL, we have been leading the change by continuous innovation, setting higher goals, achieving the unthinkable and creating new benchmarks. This has enabled us to emerge as a ₹1224cr (consolidated Net turnover for year 19- 20) giant in the space decor industry. In the short span of 20 years, we are one of India's largest groups, with a global footprint across 100 countries globally.

1400+
—
Designs

1 Lac+
—
sq.mtrs./day*
Capacity

09
—
Mfg. units

300+
—
Exclusive
Showrooms
Pan India

11
—
Display Centres

6700+
—
Touch Point

6000+
—
Employees*

* Includes contract labour



Asian Granito India Ltd.



STELLAR MARBLE AND QUARTZ

Give your space a stellar look with the exquisite Marble and Quartz by AGL. Let the radiance of Marble and Quartz furnish your space into an artistic vision and adds joy to your space. These are available in two sizes of 3100x1400mm and 3025x1225mm which makes them perfectly suitable for all indoor and outdoor spaces giving a spectacular look. Create an extravagant lifestyle with AGL Marble and Quartz and define your abode with superiority and magnificent charm. AGL lets you uplift the environment of your space with its aesthetically enriching designs and unique look.

www.aglasiangranito.com



EVOLVE EVOLVE



APPLICATION



WALL



FLOOR



RECTIFIED



HEAVY
TRAFFIC



LIGHT
TRAFFIC


QUARTZ

QUARTZ

A CLASSIC CHARM

The unique and vivid look of AGL Quartz gives your space an enthralling appeal that makes you rejoice every moment of your living. Let your space shine with the contemporary and graceful look.

3100x1400mm



www.aglasiangranito.com

The lavish and exquisite look of AGL Quartz adds intrigue and charms to your space. Feel the euphoric tone of AGL Quartz and live the moment of happiness. Let every corner of your space shines elegantly.

QUARTZ ADVANTAGE



No Porosity



Ready to Install



Economical than Granite



Chemical resistant



Easy Available



Stronger than Granite




Wide Range than Granite

CRYSTAL SERIES



BIANCO MAPLE



GRES



COASTA MAPLE



ESSEL BROWN



AMARILLO GOLD



AZUL

CRYSTAL SERIES



STARDUST



TOSCO FIERO



SAPPHIRE



BURGUNDY MAPLE



GRAPHITE



GALAXY




COASTA MAPLE



GRAPHITE & BIANCO MAPLE

CRYSTAL SERIES



PICASSO



MARQUINA GREY



SELEN BEIGE



ROYAL GRIGIO



SELEN BEIGE

SILKEN SERIES




VANILLA



AVALANCHE




BIANCO DESERT



WINTER WHITE



WICKER



TITON BEIGE



AVALANCHE

SILKEN SERIES



COASTA IVORY




COASTA BEIGE



TITON BRISTOL



GINGER TAN



ANTHRACITE



TITON BROWN



NEW MUDPAI



TITON BRISTOL

SPECTRA SERIES



VENUS



COSMUS



ROYAL DREAM




POLAR STONE



POLAR STONE

ELEGANT SERIES



OASIS



SHITAKE



CEMENT



EMPERADORE




SHITAKE & EMPERADORE

EMERALD SERIES




ARCTIC WHITE



AFYON GREY



INDIANO



ALMOND




SANDAL



COSMOPOLITAN



SAHARA STORM




SESAME BLACK

SWISS SERIES



SHADOW GREY



CLOUDY GREY



PLATINUM GREY



PHANTOM



BLACK PORTORO & CLOUDY GREY

SWISS SERIES




SHAMPHER WHITE



SATUVARIO



PLATINUM BLACK



BLACK PORTORO

ONYX SERIES



MING ONYX



MOON ONYX



PLATINUM BLACK

TECHNICAL SPECIFICATION

CORPORATE OFFICE & BRANCHES

India's
Leading
Marble & Quartz
Brand

AGL ENGINEERED MARBLE (CALCAREOUS BASE)

TEST SPECIFICATION	STANDARD OF TEST	STANDARD OF MEASUREMENT	RANGE OF AGL MARBLE STONE	
			BOULDER SERIES	FINE SERIES
Water Absorption	EN 14617 - 1	%	<0.2	<0.2
Thermal Expansion linear coefficient of T.E.	EN 14617 - 11	10 ⁻⁶ / c	<15	<15
Surface Hardness	EN 101	Moh's Scale	3 - 4	3 - 4
Density	14617 - 1	gm / cc	>2.45	>2.40
Compressive Strength	14617 - 15	Mpa	>100	>100
Flexural Strength / Modulus of rupture	14617 - 2	Mpa	10 - 20	20 - 35
Glossiness	Reflection	%	>70	>70
Chemical Resistance (Resistance to acid)	14617 - 10	C1.C4	C1.C4	C1.C4
Resistance to deep abrasion	EN 102	mm ³	150 - 400	150 - 400

AGL QUARTZ (SILICEOUS BASE)

TEST SPECIFICATION	STANDARD OF TEST	STANDARD OF MEASUREMENT	RANGE OF AGL QUARTZ STONE
Water Absorption	EN 14617 - 1	%	<0.1
Thermal Expansion Linear Coefficient Of T.e.	EN 14617 - 11	10 ⁻⁶ / c	<30
Surface Hardness	EN 101	Moh's Scale	6 - 7
Density	EN 14617 - 1	gm / cc	>2.35
Compressive Strength	EN 14617 - 15	Mpa	235 - 250
Flexural Strength / Module	EN 14617 - 2	Mpa	27 - 60
Glossiness	Reflection	%	>55
Chemical Resistance (Resistance to acid)	EN 14617 - 10	C1.C4	C1.C4
Resistance To Deep Abrasion	EN 102	mm ³	100 - 160
Resistance To Fire	DIN 4102		b1
Shock Resistance	ASTM C848		No Scaling
Slippage Resistance	DIN 51130	Joule	Levigato 320 = R9
			Honed 320 = R9
			Geschliffen 320 = R9
Resistance To De-Icing Salts	ASTM C672		120 - 180
Resistance To Rapid Freezing & Thawing	ASTM C666 DIN 52104		Levigato 320 = R9
			Honed 320 = R9
			Geschliffen 320 = R9
Impact Resistance	ASTM C1709		5, + / -2

PRODUCT FEATURES / COMPARISON BETWEEN NATURAL STONE AND AGL ENGINEERED MARBLE STONE

FACTORS	MARBLE / NATURAL STONE	AGL MARBLE STONE
Colour Consistency	No	Yes
Porosity	High	Very Low
Hardness	Low	High
Polishing	On Site Polishing	Ready to Use
Cost Of Onsite Polishing	Extra	No Extra Cost
Wastages	High	Low
Pinholes & Cracks	Filling Required	No Filling Required
Uniformity In Quantity Supplied	Constrains Are There	No Constrains Are there
Laying & Completion Time	High	Low
Maintenance	High	Low
Supply Schedule	Non Controllable	As Per Schedule
Size Consistency	No	Yes
Thickness / Size Option	Not Always Available	Always Available

Other Features

Resistance to abrasion, shock & flexural strength
Dimensional stability that reduces wastage during installation
Uniformity in colour that makes it suitable for large application
Repolishable

Packing, Size & Thickness Availability Details In Engineered Marble Stone

Sizes in mm Availability	In Sq.Ft. (Appx.)
3025 x 1225 mm	10 x 4
1500 x 1200 mm	5 x 4
1200 x 800 mm	4 x 2
800 x 600 mm	2 x 2
600 x 300 mm	2 x 1

Customized sizes on bulk requirements

Packing, Size & Thickness Availability Details In Quartz Stone

Sizes in mm Availability	In Sq.Ft. (Appx.)
3100 x 1400 mm	10.2 x 4.6

Customized sizes on bulk requirements

Thickness in mm availability

12mm I 18mm I 18mm In Engineered Marble Stone
12mm I 15mm I 20mm In Quartz Stone

Wooden palleting only based on thickness / size.
Customized packing in corrugated boxes in 12mm can also be provided.

Note: Due to printing process, the colour of the actual products may differ from the picture. For true colour matching purposes refer the sample.



AGL'S BIGGEST LUXURY TILE ARCADE AHMEDABAD

■ ASIAN GRANITO INDIA LTD.

Corp. Office:
202, Dev Arc, Opp. Iskcon Temple,
S. G. Highway, Ahmedabad - 380 015
Gujarat (INDIA)
Phone: +91 79 66125500/698
Fax: +91 79 66125600/66058672
Toll Free : 1800 123 3455
E-mail: info@aglasiangranito.com

■ GUJARAT

■ AGL Luxury Tile Arcade - Ahmedabad (Display Centre)
S.G. Highway, Nr. Gota Cross Road,
Beside Gota over bridge,
Ahmedabad - 382481.
Phone: 079 - 66125700/01
Mobile: 98258 03713

■ AGL Experience Centre - Himmatnagar

C/o. Amazeone Ceramics Ltd.
Nr. IOC Petrol pump, Himmatnagar to-
Ahmedabad National Highway,
Dalpur, Ta - Prantij. Mobile: 9099904706

■ AGL Office - Morbi

B-26, Parshwanath Complex,
Opp. Kuber Cinema, 8A National Highway,
Morbi - 363642. Mobile: 99099 79514

MORBI,

■ AGL Export House- Morbi.

Ch -5, Eden Ceramic City,
Opp-Honest hotel National Highway,
Lalpar Road Morbi - 363642.
Mobile: 9979990591

■ Office only ■ Display Centre

KARNATAKA

■ AGL Display Centre - Bangalore
Brahmananda Court, No 37/17 & 37/18,
Nr. ICICI Bank, Lalbagh Road,
Bangalore - 560027
Phone: 080-22222345
Mobile : 88844 53236

ANDRA PRADESH

■ AGL Display Centre - Hyderabad
No. 8-2-293/82, Plot No. 39,
Road No. 5, Jubileehills, Nr. Venkatagiri Bustop.
Metro Pillar No: 3, Hyderabad.-500033.
Mobile : 96420 11146

MAHARASHTRA

■ AGL Display Centre - Mumbai
A-402 City Point, Nr. Kohinoor Hotel,
Opp. ICICI Bank, J.B.Nagar,
Andheri (East), Mumbai-400 059.
Mobile : 93214 95229

■ AGL Display Centre - Pune

39, Santosh Height, Market Yard Road,
Opp. Apsara Cinema, Pune.
Mobile: 73910 52081

RAJASTHAN

AGL Display Centre - Jaipur

1, Chase Tower, Opp. Metro Pillar no 31,
Gopalpura Bypass, Mansarovar,
Jaipur, Rajasthan.
Mobile : 70734 84069

KERALA,

■ AGL Display Centre - Cochin
Nr. Bread world,
Thykooodam bridge, Vyttila
Cochin - 682019
Mobile: 8086661920

DELHI

■ AGL Display Centre - Delhi
WZ - 92 C, Raja Garden,
New Delhi - 110015
Mobile : 8800188391

WEST BENGAL

■ AGL Display Centre - Kolkata
5th Floor, Office No. 5A,
PS SOLARIS Building, 113/H,
Matheswartala Road,
Kolkata 700046.
Mobile : 90739 29126

ODISHA

■ AGL Office - Odisha
Plot no- 83/c,
Jayadurga nagar
Bomikhal,
Bhubaneswar - 751010, Odisha
Mobile : 8249350324

DISCLAIMER : Asian Granito India Ltd. reserves the right to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors. All complaints need to be reported within 10 days of purchase. Always follow instructions to avoid complaint due to bad masonry.